C.I. TAKIRON Corporation

bebien | 2023 2024

Special value!

SUSTAINABLE DEVELOPMENT GOALS

Limited Stocks



With an eye to achieving the SDGs,
the following products, originally scheduled
to be discontinued will be on a sale at reduced price.
This will contribute to a reduction in product
wastes and a minimization of environmental impacts.

Please feel free to inquire of us regarding stock availability.

WOOD

1



W-646
Dull Chic Drape
Repeat : W630 H945 1/2step S



SW-93
Siena Cherry
Repeat : W400 H805 1/2step S



SW-65
Nadja Oak
Repeat : W580 H950 1/2step SC

METAL / LEATHER / ABSTRACT

2




CM-65
Sand Etain
Repeat : W450 H630 1/2step



K-277
Soft Khaki Goat
Repeat : W460 H1000 1/2step



DA-82
Carta Wrinkled



DA-36
Haily Black
Repeat : W460 H335 box

CHARACTERISTIC

3



CM-132
Luce Drape Light
Repeat : W650 H910 1/2step



CM-136
Silver Fox Oak
Repeat : H910 SC




CM-137
Sable Oak
Repeat : H910 SC



FM-46
Cheval Champagne
Repeat : W65 H130 1/2step

4



CM-120
Kagerou



DA-67
IZANAGI



F-468
Tsumugi Noir



F-472
Tsumugi Russet

WHITEBOARD SHEET

5

BWH-002
Pale Pink 0.5YR 8.5/1.5

BWH-003
Pale Green 8GY 8.5/1

Width : 1,250mm Length : 30m

Notice:

For ensuring the product performance, the substrate should be a metal.
The sheet can be classified as a fire-rated material only when it is installed to metal substrate.(Certification is only in the U.S.A.)
Ceiling-mounted or short-focus projectors are recommended.

For bigger images and product specifications, please scan here.

Single color (monotone) & Texture

Cloth grain emboss

TX-100 9.5GY 9.3/0.1

TX-102 4.0GY 9.2/0.3

TX-101 2.0GY 9.3/0.3

TX-103 9.9GY 8.3/0.2



Fiber type emboss

TX-090 2.0GY 9.3/0.3



TX-092 8.6Y 8.7/0.1



TX-091 4.0GY 9.2/0.3

TX-093 5.1Y 7.9/0.3



Washi emboss

TX-021 2.0GY 9.3/0.3



TX-024 9.9GY 8.3/0.2



TX-023 8.6Y 8.7/0.1



TX-025 5.1Y 7.9/0.3



Sand grain emboss

TX-011 2.0GY 9.3/0.3


TX-014 9.9GY 8.3/0.2



TX-016 0.7GY 7.2/0.4



TX-013 8.6Y 8.7/0.1



TX-015 5.1Y 7.9/0.3



Vibration emboss

TX-050 9.5GY 9.3/0.1

TX-053 5.7Y 8.5/0.4



TX-054 5.1Y 7.9/0.3



Crepe emboss

TX-061 2.0GY 9.3/0.3

TX-064 5.1Y 7.9/0.3



TX-063 8.6Y 8.7/0.1



TX-065 0.7GY 7.2/0.4



Wood grain emboss

TX-082 5.7Y 8.5/0.4



TX-083 7.6Y 6.3/0.3



Geometric pattern emboss

TX-031 2.0GY 9.3/0.3



TX-034 9.9GY 8.3/0.2



TX-033 8.6Y 8.7/0.1



TX-035 5.1Y 7.9/0.3



Hairline style emboss

TX-040 9.5GY 9.3/0.1



TX-042 9.9GY 8.3/0.2



TX-041 4.0GY 9.2/0.3

TX-043 7.6Y 6.3/0.3



Scratch emboss

TX-070 0.7GY 7.2/0.4




TX-071 0.6Y 2.45/0.3




Semi-gloss

GC-010 9.5GY 9.3/0.1



GC-012 4.0GY 9.2/0.3



GC-014 9.9GY 8.3/0.2



GC-016 0.7GY 7.2/0.4



GC-018 0.6Y 2.45/0.3

GC-011 2.0GY 9.3/0.3

GC-013 8.6Y 8.7/0.1

GC-015 5.1Y 7.9/0.3

GC-017 7.6Y 6.3/0.3

GC-019 9.2PB 0.9/0.2

Annotation

Water Resistance

Whiteboard (Erasable)

Precautions in installation

- CM-120
- DA-67
- SW-93
- Geometric pattern emboss

Patterns will not be matched in the joint part due to large design included.

Color Confirmation Caution (semi-gloss)

Actual product comes with protective film.

Specifications

*Excluding BWH (whiteboard)

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.



Nuance Color

POWDER MATTE?

Introducing
a new monochromatic
graceful texture

Basic Color ⟶ P29

belbien 2023-24

New Product Introductions

Other new patterns are on this page.

Wood ⟶ P16
Metal ⟶ P23
Leather ⟶ P27
Fabric ⟶ P28
belbien EX ⟶ P35

So Cooool !

PARKERIZING



Can be applied outdoors.
Inspired by hot-dip galvanized steel sheets with zinc phosphate coating.

belbien EX ⁀ P33,34



Exciting

FEVER! FEVER!

For a resplendent and impressive playful atmosphere that stimulates the senses.

Amusement ⁀ P19

Illustrative image scale only. Verify with actual product when using.

Wood Regular

belbien WR



WR-4120

Choose wood grain in a quick and easy way.

[For your first selection]

:The color chart in different wood types will help you to make an instant choice. The same color is available in straight grain/cathedral grain.

* Walnut,oak,ash

[When you select matching color for the site]

: The gradations will help you to find a perfect match.

[When you seek different impression]

: Various colors, Various impressions.

For bigger images and product specifications, please scan here.


FABRIC WOOD

Straight Grain

Repeat : W445 H790 1/2step

1 

WR-3000
White
Fabric Wood

2 

WR-3005
Cream
Fabric Wood

3 

WR-3010
Vanille
Fabric Wood

4 

WR-3020
Beige
Fabric wood

5 

WR-3030
Camel
Fabric Wood

6 

WR-3040
Taupe
Fabric Wood

7 

WR-3050
Light Gray
Fabric Wood

8 

WR-3060
Light Taupe
Fabric Wood

9 

WR-3070
Sepia
Fabric Wood

10 

WR-3080
Dark Brown
Fabric Wood

11 

WR-3085
Gray
Fabric Wood

12 

WR-3090
Charcoal
Fabric Wood

WALNUT


Straight Grain
Repeat : W210 H795 1/2step



WR-1000
White Walnut



WR-1010
Silk Walnut




WR-1020
Pale Walnut




WR-1040
Clay Walnut



WR-1045
Greige Walnut




WR-1050
American Walnut



WR-1055
Salem Walnut




WR-1060
Missouri Walnut




WR-1070
Évreux Walnut



WR-1080
Smoke Walnut



WR-1085
Ohio Walnut



WR-1090
Charcoal Walnut

Straight / Cathedral Grain
Repeat : W580 H960 1/2step



WR-1100
White Walnut
1



WR-1110
Silk Walnut
2




WR-1120
Pale Walnut
3




WR-1140
Clay Walnut
4




WR-1145
Greige Walnut
5




WR-1150
American Walnut
6




WR-1155
Salem Walnut
7



WR-1160
Missouri Walnut
8




WR-1170
Évreux Walnut
9



WR-1180
Smoke Walnut
10



WR-1185
Ohio Walnut
11



WR-1190
Charcoal Walnut
12

Annotation

Water Resistance

Available in other series

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

OAK

Straight Grain
Repeat : H960

Straight / Cathedral Grain
Repeat : W580 H960 1/2step

	Straight Grain	Straight / Cathedral Grain
1	WR-2000 Neve Oak	WR-2100 Neve Oak
2	WR-2010 Vernal Oak	WR-2110 Vernal Oak
3	WR-2020 Vara Oak	WR-2120 Vara Oak
4	WR-2030 Laurel Oak	WR-2130 Laurel Oak
5	WR-2040 Malmo Oak	WR-2140 Malmo Oak
6	WR-2050 Viera Oak	WR-2150 Viera Oak
7	WR-2060 Permanan Light Oak	WR-2160 Permanan Light Oak
8	WR-2070 Helena Oak	WR-2170 Helena Oak
9	WR-2075 Casper Oak	WR-2175 Casper Oak
10	WR-2080 Permanan Oak	WR-2180 Permanan Oak
11	WR-2090 Dark Oak	WR-2190 Dark Oak
12	WR-2095 Black Oak	WR-2195 Black Oak

For bigger images and product specifications, please scan here.

ASH

Straight Grain
Repeat : W270 H970　1/2step



WR-4000
Warm White Ash



WR-4020
Greige Ash



WR-4040
Science Ash



WR-4060
Soil Ash



WR-4070
Dull Chic Ash



WR-4090
Dark Ash


Straight / Cathedral Grain
Repeat :　H975



1 WR-4100
Warm White Ash



2 WR-4120
Greige Ash



3 WR-4140
Science Ash



4 WR-4160
Soil Ash



5 WR-4170
Dull Chic Ash



6 WR-4190
Dark Ash

CHERRY

Straight / Cathedral Grain
Repeat : W575 H950　1/2step



WR-6110
Ecru Cherry



WR-6120
Natural Cherry



WR-6130
Apricot Cherry



WR-6150
Mandarin Cherry



WR-6160
Brownish Cherry



WR-6180
Reddish Cherry

SUGI

Straight Grain
Repeat : W540 H960　1/2step



7 WR-5000
Haijiro Sugi



8 WR-5020
Usukou Sugi



9 WR-5040
Chouji Sugi



10 WR-5050
Kou Sugi



11 WR-5070
Fushiiro Sugi



12 WR-5080
Kobicha Sugi

Annotation

Water Resistance

Available in other series

Specifications

Width
1,220mm

Length
50m


Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.



Extremely Realistic.
SUPER REAL WOOD SERIES

SW-155



Wide Variety of Designs.
WOOD SERIES

W-636

[Design]
Yukio Hashimoto
Design Studio

[Photographing]
Nacása &
Partners Inc

For bigger images
and product
specifications,
please scan here.

SUPER REAL WOOD

SW-134
White Purplewood
Repeat : W480 H970 1/2step SC

SW-135
Brosse Macassar
Repeat : W430 H970 1/2step C

SW-121
White Bubinga
Repeat : W560 H970 1/2step S

SW-145
Shiratsuchi Gaki
Repeat : W590 H970 1/2step SC

SW-157
Nordic White Ash
Repeat : H975 SC

SW-133
Snow Elm
Repeat : W485 H975 1/2step S



SW-127
Grayish Elm
Repeat : W460 H970 1/2step SC



SW-153
Jindai-Hinoki Rain
Repeat : W630 H945 1/2step S



SW-131
Shabby Chic Elm
Repeat : W485 H975 1/2step S



SW-129
Grunge Chic Elm
Repeat : W485 H975 1/2step S



SW-154
Jindai-Sen Moon
Repeat : W270 H970 1/2step S

WOOD

W-669
Porta Pine
Repeat : H1365 C

W-621
Snow Larch
Repeat : W530 H940 1/2step S

W-305
White Paulownia
Repeat : W340 H960 1/2step S

WB-401
Canard Oak
Repeat : W430 H970 1/2step S

WB-403
Siberian Oak
Repeat : W525 H970 1/2step S

W-628
Salt Oak
Repeat : H950 S



W-653
Milky Dao
Repeat : W450 H1,300 1/2step S

W-807
Earnest Oak
Repeat : H940 S




W-663
Calando Maple
Repeat : W940 H1310 1/2step C

W-626
Fog Larch
Repeat : W530 H940 1/2step S

W-716
Light Gray Ash
Repeat : W300 H810 box S



W-666
Lento Maple
Repeat : W970 H1310 1/2step C




W-627
Cloud Larch
Repeat : W530 H940 1/2step S



W-659
Greige Dark Elm
Repeat : W970 H1290 1/2step SC



W-647
Grunge Chic Drape
Repeat : W630 H945 1/2step S



W-809
Faith Oak
Repeat : H940 S

1 2 3 4 5 6 7

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A B C D

SUPER REAL WOOD

1



SW-76
White Elm
Repeat : W460 H970 1/2step SC



SW-82
White Teak
Repeat : W240 H810 1/2step S



SW-151
Greige Oak
Repeat : H960 S



SW-159
Tornio Ash
Repeat : H975 SC

2

SW-125
Ivory Oak
Repeat : W375 H810 box S



SW-126
Ivory Oak
Repeat : W580 H950 1/2step SC



SW-158
Scandinavian Ash
Repeat : H975 SC



SW-155
Donau Oak
Repeat : H970 SC

WOOD

3

W-216
Line Walnut
Repeat : W600 H970 1/2step S

WA-256
Fresh Anigre
Repeat : W525 H1325 1/2step S



W-650
Rowdy Oak Greige
Repeat : W700 H1,300 1/2step SC



W-719
Missouri Gray
Repeat : W430 H970 1/2step S

4

W-200
White Oak
Repeat : W525 H970 1/2step S



W-639
Pale Maple
Repeat : W500 H965 1/2step SC



W-664
Marcato Maple
Repeat : W940 H1310 1/2step C



WB-400
Lapin Oak
Repeat : W430 H970 1/2step S

5



W-723
Aizu Kiri
Repeat : W340 H960 1/2step S



W-732
Natural Light Oak
Repeat : H960 S



W-637
Clay Cherry
Repeat : W575 H950 1/2step SC



W-652
Rowdy Oak Beige
Repeat : W700 H1,300 1/2step SC

6



W-651
Rowdy Oak Light
Repeat : W700 H1,300 1/2step SC



W-634
Pale Walnut
Repeat : W600 H970 1/2step SC



W-643
Zingana Light
Repeat : W480 H970 1/2step S



W-731
Light Greige Oak
Repeat : H960 S

For bigger images and product specifications, please scan here.

7



W-717
Cinnamon Ash
Repeat : W300 H810 box S



W-635
Clay Walnut
Repeat : W580 H960 1/2step SC



W-630
Pepper Oak
Repeat : H950 S



SW-64
Irene Oak
Repeat : W580 H950 1/2step SC



SW-160
Nordic Greige Ash
Repeat : H975 SC



SW-130
Dull Chic Elm
Repeat : W485 H975 1/2step S



SW-178
Mark Walnut
Repeat : W485 H940 1/2step S

1



SW-147
Naked Italian Walnut
Repeat : W585 H960 1/2step SC



SW-148
Naked American Walnut
Repeat : W585 H960 1/2step SC



SW-171
Naked Walnut
Repeat : W210 H790 1/2step S



SW-172
Naked Walnut
Repeat : W585 H970 1/2step SC

2



W-617
Naked Italian Walnut
Repeat : W210 H760 1/2step S



W-622
Italian Walnut
Repeat : W400 H385 1/2step S



W-618
Naked American Walnut
Repeat : W210 H760 1/2step S



W-623
American Walnut
Repeat : W400 H385 1/2step S

3



W-307
Naked Italian Walnut
Repeat : W580 H960 1/2step SC



W-660
Rowdy Walnut Italian
Repeat : H1330 SC



W-802
Italian Noce
Repeat : W580 H960 1/2step SC



W-661
Rowdy Walnut American
Repeat : H1330 SC

4



W-808
Sincere Oak
Repeat : H940 S



W-658
Greige Medium Elm
Repeat : W970 H1290 1/2step SC



W-640
Grey Striped Wood
Repeat : W575 H970 1/2step S



W-644
Zingana Mocha
Repeat : W480 H970 1/2step S

5



W-641
Smoke Striped Wood
Repeat : W575 H970 1/2step S



W-656
Rastic Oak Greige
Repeat : H1290 C



W-686
Courtyard Dark Birch
Repeat : W415 H1035 1/2step C



W-633
Marron Drape
Repeat : W630 H945 1/2step S

6

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A B C D

SUPER REAL WOOD

1



SW-152
Hinoki
Repeat : W635 H945 1/2step S



SW-70
Petit Elm
Repeat : W460 H970 1/2step SC



SW-161
Yoshino Sugi(
Repeat : W540 H960 1/2step S



SW-177
Naked Ash
Repeat : W270 H970 1/2step S

2



SW-150
Naked Oak
Repeat : H960 S



SW-141
Sen
Repeat : W270 H970 1/2step S



SW-124
Naked Oak
Repeat : W580 H950 1/2step SC



SW-140
Real Oak
Repeat : W405 H960 1/2step C

3



SW-72
Beige Sycamore
Repeat : W620 H970 1/2step SC



SW-128
Naked Elm
Repeat : W485 H975 1/2step S



SW-54
Viera Oak
Repeat : W580 H950 1/2step SC



SW-55
Aruba Oak
Repeat : W580 H950 1/2step SC

WOOD

4

W-685
Courtyard Light Birch
Repeat : W415 H1035 1/2step C




W-714
Light Ash
Repeat : W300 H810 box S

W-213
Cremona Sycamore
Repeat : W590 H970 1/2step S

W-638
Plain Maple
Repeat : W500 H965 1/2step SC

5



W-665
Largo Maple
Repeat : W970 H1310 1/2step C



W-629
Naked Oak
Repeat : H950 S



W-681
Zingu Sugi
Repeat : W610 H1180 1/2step SC



WA-257
Pleasant Anigre
Repeat : W525 H1325 1/2step S

6




W-720
Missouri Light
Repeat : W430 H970 1/2step S



W-657
Plain Elm
Repeat : W970 H1290 1/2step SC




W-715
Natural Ash
Repeat : W300 H810 box S



W-385
Yachi Tamo
Repeat : W340 H990 1/2step S

7



W-721
Missouri Oak
Repeat : W430 H970 1/2step S

For bigger images and product specifications, please scan here.



SW-60
Mave Ash
Repeat : W270 H970 1/2step S



SW-61
Oisein Ash
Repeat : W270 H970 1/2step S



SW-28
Keyaki
Repeat : W290 H1300 box C



SW-43
Angel Wood
Repeat : W370 H970 1/2step SC

1



SW-168
Naked Cherry
Repeat : W400 H810 1/2step S



SW-80
Siena Cherry
Repeat : W400 H810 1/2step S



SW-18
Omi Sakura
Repeat : W400 H810 1/2step S



SW-27
Omi Sakura
Repeat : W415 H970 box C

2



SW-45
Rosé Walnut
Repeat : W210 H790 1/2step S



SW-98 ⓘ
Rosé Walnut
Repeat : W395 H390 1/2step S



SW-56
Rosé Walnut
Repeat : W410 H970 1/2step C

3



W-372
Kiso Hinoki
Repeat : W465 H995 box S



W-251
Luna Elm
Repeat : W455 H970 1/2step S



W-316
Franc Poplar
Repeat : W290 H970 1/2step S




W-320
Léger Maple
Repeat : W365 H970 1/2step S


4




W-786
Leo Maple
Repeat : W525 H1340 1/2step



W-636
Plain Cherry
Repeat : W575 H950 1/2step SC




W-203
Carnus Beech
Repeat : W680 H1085 1/2step SC




WA-386
Malaga Cherry
Repeat : W335 H980 1/2step S

5




W-360
Sakura
Repeat : W415 H995 1/2step C



W-346
Bernerd Oak
Repeat : W585 H970 1/2step SC



W-255
Coupé Anigre
Repeat : W545 H1000 1/2step S



W-764
Massive Cherry
Repeat : W370 H1005 1/2step S

6

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

SUPER REAL WOOD

1



SW-170
Naked Teak
Repeat : W240 H810 1/2step S



SW-163
Karon Teak
Repeat : W240 H810 1/2step S



SW-164
Victoria Teak
Repeat : W240 H810 1/2step S



SW-169
Modern Teak
Repeat : W585 H970 1/2step S

2



SW-46
Marée Walnut
Repeat : W210 H790 1/2step S



SW-57
Marée Walnut
Repeat : W410 H970 1/2step C



SW-101
Grand Walnut
Repeat : W585 H970 1/2step SC



SW-16
Wave Mahogany
Repeat : W685 H810 1/2step S

3



SW-167
Jeune Sapelli
Repeat : W405 H785 box S



SW-91
Moderate Teak
Repeat : W580 H970 1/2step S



SW-179
Queen Walnut
Repeat : W485 H940 1/2step S

WOOD

4



W-654
Cinnamon Dao
Repeat : W450 H1,300 1/2step S



W-631
Cinnamon Oak
Repeat : H950 S




W-648
Medium Walnut
Repeat : W210 H760 1/2step S



W-624
Medium Walnut
Repeat : W400 H385 1/2step S


5



W-244
Remain Ash
Repeat : W400 H970 box S



WB-404
Gale Oak
Repeat : W525 H970 1/2step S




W-655
Rastic Oak Natural
Repeat : H1290 C




W-668
Pu-erh Cherry
Repeat : H1345 C


6




W-670
Hérisson Oak Natural
Repeat : H1290 C



WA-381
Sienna Oak
Repeat : W480 H980 1/2step S



W-683
Enju
Repeat : W400 H1170 1/2step SC



W-662
Rowdy Walnut Smoke
Repeat : H1330 SC

For bigger images and product specifications, please scan here.



SW-100
Elite Walnut
Repeat : W585 H970 1/2step SC



SW-81
Mid Cherry
Repeat : W400 H810 1/2step S



SW-59
Torino Teak
Repeat : W585 H970 1/2step C



SW-79
Almagnac Teak
Repeat : W240 H810 1/2step S

1



SW-47
Palace Cherry
Repeat : W400 H810 1/2step S



SW-165
Maenam Karin
Repeat : W270 H790 1/2step S



SW-166
Maenam Karin
Repeat : W405 H960 box C



SW-63
Miyama Karin
Repeat : W270 H790 1/2step S


2



SW-62
Beaune Sapele
Repeat : W405 H785 box S



SW-104
Spin Mahogany
Repeat : W570 H970 1/2step S



SW-49
Dark Wenge
Repeat : W405 H970 1/2step S



SW-26
Glory Rose
Repeat : W405 H970 box C

3



W-722
Yoshino Sakura
Repeat : W400 H810 1/2step S



W-667
Rooibos Cherry
Repeat : H1345 C




W-205
Mandarin Cherry
Repeat : W570 H950 1/2step SC




W-210
Zebra Nova
Repeat : W480 H970 1/2step S


4




W-282
Nadia Teak
Repeat : W560 H1340 1/2step SC



W-765
Country Cherry
Repeat : W370 H1005 1/2step S



W-378
Jaguar Burl
Repeat : W370 H330 box B




W-376
Deep Mahogany
Repeat : W385 H995 1/2step S

5



WA-227
Berg Cherry
Repeat : W570 H950 1/2step SC



W-364
Sumie Karin
Repeat : W170 H995 1/2step S



W-733 NEW
Hublit Oak
Repeat : W405 H960 1/2step C

6

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

SUPER REAL WOOD

1



SW-173
Dors Walnut
Repeat : W210 H790 1/2step S



SW-174
Dors Walnut
Repeat : W585 H970 1/2step SC




SW-102
Dandy Walnut
Repeat : W585 H970 1/2step SC



SW-175
Wenge
Repeat : W405 H970 1/2step S

2



SW-19
Valois Walnut
Repeat : W210 H790 1/2step S



SW-99
Valois Walnut
Repeat : W395 H390 1/2step S



SW-24
Valois Walnut
Repeat : W410 H970 1/2step C



SW-116
Dark Mahogany
Repeat : W570 H970 1/2step S

3



SW-156
Donau Oak Soir
Repeat : H970 SC



SW-84
Frigo Teak
Repeat : W240 H810 1/2step S



SW-137
Bitter Elm
Repeat : W485 H975 1/2step S



SW-143
Henri Walnut
Repeat : W585 H960 1/2step SC

WOOD

4



W-620
Évreux Walnut
Repeat : W210 H760 1/2step S



W-625
Évreux Walnut
Repeat : W400 H385 1/2step S




W-619
Valois Walnut
Repeat : W210 H760 1/2step S




W-358
Queen's Walnut
Repeat : W410 H980 1/2step C


5




WA-382
Dark Umber Oak
Repeat : W480 H980 1/2step S



W-245
Deep Ash
Repeat : W400 H970 box S



W-632
Sepia Drape
Repeat : W630 H945 1/2step S



W-810
Steady Walnut
Repeat : W210 H960 1/2step S


6




W-682
Kumano Sugi
Repeat : W610 H1180 1/2step SC



W-800
Grunge Strata
Repeat : H930



W-393
Memphis Cherry
Repeat : W330 H1325 1/2step S



W-394
Tennessee Cherry
Repeat : W330 H1325 1/2step S

For bigger images and product specifications, please scan here.



SW-73
Dark Sycamore
Repeat : W620 H970 1/2step SC



SW-77
Dark Elm
Repeat : W460 H970 1/2step SC



SW-112
Charcoal Ash
Repeat : W270 H970 1/2step S



SW-176
Black Wenge
Repeat : W405 H970 1/2step S



SW-138
Gramme Ebony
Repeat : W630 H970 1/2step S



SW-89
Dark Purplewood
Repeat : W480 H970 1/2step SC



SW-136
Husky Macassar
Repeat : W430 H970 1/2step C



SW-162
Akita Yakisugi
Repeat : W540 H960 1/2step S



SW-146
Shibusumi Gaki
Repeat : W590 H970 1/2step SC



SW-110
Black Elm
Repeat : W460 H970 1/2step SC



SW-122
Black Bubinga
Repeat : W560 H970 1/2step S



W-684
Ginkai Enju
Repeat : W400 H1170 1/2step SC




W-671
Hérisson Oak Gray
Repeat : H1290 C




W-391
Modest Oak
Repeat : W470 H985 1/2step C




W-217
Line Dark Walnut
Repeat : W600 H970 1/2step S




W-806
Gold-Inlaid Walnut
Repeat : W585 H960 1/2step SC




W-805
Silver-Inlaid Walnut
Repeat : W585 H960 1/2step SC




W-202
Bitter Oak
Repeat : W525 H970 1/2step S




W-223
Zebra Vino
Repeat : W480 H970 1/2step S



W-724
Sumizome Kiri
Repeat : W340 H960 1/2step S



W-224
Zebra Marino
Repeat : W480 H970 1/2step S



W-726
Charcoal Bamboo
Repeat : W630 H970 1/2step S



W-303
Black Oak
Repeat : W535 H810 box S

1 2 3 4 5 6

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.



End board:CM-152. CM-153. CM-149　Screening panel:CM-153

AMUSEMENT

1



CM-152 NEW
Infinity Gold
Repeat : W230 H385　1/2step



CM-153 NEW
Infinity Red
Repeat : W230 H385　1/2step

2



CM-148 NEW
Mix Beat White

3




CM-149 NEW
Mix Beat Black

4



CM-151 NEW
Mix Beat Red



CM-150 NEW
Mix Beat Gold

For bigger images and product specifications, please scan here.

METAL WOOD



CM-82
White Tineo
Repeat : W610 H915 1/2step



CM-83
Dark Tineo
Repeat : W610 H915 1/2step

CM-141
Flow White
Repeat : W310 H640 1/2step



CM-52
Flow Black
Repeat : W310 H640 1/2step

CHARACTERISTIC

F-2745
Cheval Blanc
Repeat : W65 H130 1/2step



FM-44
Cheval Etain
Repeat : W65 H130 1/2step



F-746
Cheval Noir
Repeat : W65 H130 1/2step



FM-45
Cheval D'or
Repeat : W65 H130 1/2step



W-642
Red Striped Wood
Repeat : W575 H970 1/2step
S



FM-11
Bright Silver



FM-23
Clémantine Gold



DA-77
Tsukushi




DA-70
Shiranui



DA-68
AMATERU



DA-66
IZANAMI



DA-69
TSUKIYOMI



Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

1 2 3 4 5 6 7

A B C D

METAL

1



CM-123
Grunge Etain
Repeat : W525 H315　1/2step



CM-133
Carta Cuivre
Repeat : W670 H640　1/2step



CM-135
Martello Cuivre
Repeat : W520 H320　1/2step



CM-140
Nebula Stainless
Repeat : W500 H760　1/2step

2



CM-126
Burnt Fer
Repeat : W550 H760　1/2step



CM-128
Dry Cuivre

3



CM-130
Martello Brass
Repeat : W520 H320　1/2step



CM-127
Wet Cuivre



BR-542
Nebula Bronze Dark

4



BR-551
Brown Fer
Repeat : H1260



BR-553
Brown Fer
Repeat : H1260



BR-552
※ Image of installation on a W900 H1800 panel.

5



BR-552
Black Fer
Repeat : H1260



BR-554
Black Fer
Repeat : H1260

For bigger images and product specifications, please scan here.



EM-4550



EM-4551

Phosphate Acid　NEW

A new pattern inspired by hot-dip galvanized steel sheets with zinc phosphate coating.

Featured in belbienEX Page 34



FM-50
Bumpy Chrome Mirror



CM-122
Confiance
Repeat : W630 H640 1/2step



CM-131
Cervantes



CM-66
Chevalier
Repeat : H635



CM-142
Orlando
Repeat : H640



CM-146
Alba Trico
Repeat : W520 H460 1/2step



CM-147
Fuego Trico
Repeat : W520 H460 1/2step



CM-143
Luna Stain
Repeat : W300 H635 1/2step



CM-144
Dark Bronze
Repeat : W300 H635 1/2step



CM-125
Officier
Repeat : H635



CM-121 ⓘ
Sage
Repeat : W630 H640 1/2step



FM-48
Stain Enzu



FM-49
Yellow Gold Enzu




CM-57
Ima Tanyu
Repeat : H645



CM-58
Ima Korin
Repeat : H645



CM-53
Shirotae
Repeat : H765



CM-55
Ubatama
Repeat : H765



CM-124 ⓘ
Grunge Cuivre
Repeat : W450 H640 1/2step



BR-540
Bronze Sand



A-731
Tempyo
Repeat : W345 H670 1/2step




DA-53
Rusty Charcoal
Repeat : W345 H670 1/2step



DA-75
Grunge Fer
Repeat : W510 H330 1/2step



DA-54
Rusty Gray
Repeat : W345 H670 1/2step



DA-52
Rusty Brown
Repeat : W345 H670 1/2step

1 2 3 4 5 6 7 8

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A B C D

METAL

1



MA-700
Light Duralmin



BR-391
Excess Silver



BR-392
Excess Gray



BR-393
Excess Black

2



FM-31
Shower Silver



CM-64
Hairline Stainless



FM-32
Shower Stain

3



FM-33
Shower Brass



CM-129
Silk Brass
Repeat : H640



CM-134
Silk Cuivre
Repeat : H640



BR-541
Antique Brass

4



FM-34
Shower Gold



CM-60
Red Bronze



BR-297 NEW
Park Bronze
Repeat : H650

5



CM-61
Yellow Bronze



CM-62
Dark Bronze



CM-63
Blue Bronze

6

F-409
Snow Nest



BR-381
Fiber Silver



BR-382
Fiber Dark



F-408
Fabric Metal

7

CY-100
Luminance White



FM-38
Precious Silver



FM-47
Lunaoro

8



FM-40
Silver Spin



FM-42
Precious Stainless

BR-398
Silver Neige



BR-604
Stainless Vibration

For bigger images and product specifications, please scan here.

CY-110
Luminance Beige



BR-291
Gold Blade



FM-39
Precious Gold



FM-41
Gold Spin



BR-292
Bronze Blade



BR-242
Scar Bronze



BR-601
Yellow Vibration



BR-600
Red Vibration



BR-296
Peridot Blade



BR-603
Blue Vibration



BR-602
Dark Vibration



CY-104
Luminance Maroon



CY-109
Luminance Black



CY-111
Luminance Noir

CO-195
Blanche Sablon



CO-180
Luna Grano



CO-181
Meteor Grano




CO-197
Charcoal Sablon



CO-196
Noir Sablon

BR-511
Pearl White Twill



BR-514
Real Black Twill



BR-543
Metal Tide Silver
Repeat : W585 H790 1/2step



BR-544
Metal Tide Bronze
Repeat : H985



CM-145
Stainless Metal Twill



BR-545
Metal Tide Dark
Repeat : W585 H790 1/2step

1 2 3 4 5 6 7 8

Annotation

Water Resistance

Twinkling effect under lights

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A B C D

ABSTRACT / STONE

1

DA-83 ⓘ
SHIJIMA



DA-84 ⓘ
YU-GEN



DA-90
Shabby Trulli Light
Repeat : H784



DA-91
Shabby Trulli Dark
Repeat : H784

2

3

S-600
Boca Selva White
Repeat : H780



S-601
Boca Selva Gray
Repeat : H780



S-575
Ceramica Etin
Repeat : W820 H1270 1/2step



S-576
Ceramica Cuivre
Repeat : W820 H1270 1/2step



S-652
Severo Beige
Repeat : W895 H945 box



S-653
Severo Dark
Repeat : W895 H945 box

4

5

S-550
Bianco Carrara
Repeat : W455 H655 1/2step



S-573
Carta Mica
Repeat : W540 H490 1/2step



S-574
Carta Tivoli
Repeat : W540 H490 1/2step

S-650
TAIHAKU
Repeat : W580 H970 1/2step



S-651
YUZUTSU
Repeat : W580 H970 1/2step

6

7

DA-63
Frore Cascade
Repeat : W505 H335 1/2step



DA-86
Averse Cascade
Repeat : W505 H335 1/2step



DA-64
Nocturne Cascade
Repeat : W505 H335 1/2step



DA-88
Sakon-e Chanvre
Repeat : W440 H670 1/2step



DA-89
Ukon-e Chanvre
Repeat : W440 H670 1/2step

DA-72
Frore Chanvre
Repeat : W440 H670 1/2step



DA-71
Nocturne Chanvre
Repeat : W440 H670 1/2step

For bigger images and product specifications, please scan here.

DA-39
Haily Snow
Repeat : W435 H670 1/2step

DA-50
Frosty Snow
Repeat : W435 H670 1/2step



DA-79
Frosty Gilver
Repeat : W435 H670 1/2step



DA-78
Frosty Beige
Repeat : W435 H670 1/2step

DA-65
Carta Solid



S-602
Nix Grava
Repeat : W290 H665 1/2step

A-847
Tanba Sukushi



A-848
Tango Sukushi

DA-92
Straw Silk

S-603
Monta Grava
Repeat : W290 H665 1/2step

S-654
Malta Beige
Repeat : H1270



S-655
Malta Gray Lite
Repeat : H1270

DA-47
SIRAHIME



DA-48
KUROHIME



DA-74
Noir Crack
Repeat : W585 H660 box

DA-73
Blanche Crack
Repeat : W585 H660 box



F-476
Haven Brow

DA-35
Haily White
Repeat : W460 H335 box



DA-76
Haily Charcoal
Repeat : W460 H335 box

DA-38
Haily Cleam
Repeat : W460 H335 box

DA-40
White Dripping
Repeat : W340 H675 1/2step

DA-49
Haily Snow
Repeat : W460 H335 box



DA-62
Haily Graphite
Repeat : W450 H660 1/2step



DA-41
Black Dripping
Repeat : W340 H675 1/2step

1
2
3
4
5
6
7
8

Annotation

Water Resistance

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A B C D

ABSTRACT / SAND

1

S-519
Milky Sand
Repeat : W300 H670 1/2step



S-500
Ivory Sand
Repeat : W590 H670 box



S-526
Frosty Sand
Repeat : W300 H670 1/2step



S-657
Greige Sand
Repeat : W640 H850 box

2



S-752
Cream Sand
Repeat : W580 H500 box



S-560
Light Gray Sand
Repeat : W580 H500 box



S-656
Beige Sand
Repeat : W640 H850 box



S-658
Brown Sand
Repeat : W640 H850 box

3

S-571
Cool Guache
Repeat : W445 H325 1/2step

A-833
Crema Argi
Repeat : W435 H670 1/2step



A-851
Chiostro Arancio
Repeat : W490 H960 1/2step



S-659
Bricred Sand
Repeat : W640 H850 box

LEATHER

4



K-276
Light Olive Goat
Repeat : W460 H1000 1/2step



K-275
Light Gray Goat
Repeat : W460 H1000 1/2step



K-221 NEW
Sand Beige Calf

5



K-274
Pink Beige Goat
Repeat : W460 H1000 1/2step



K-222 NEW
Bistre Calf

6

K-200
White Morocco
Repeat : W215 H200 box



K-203
Bitter Morocco
Repeat : W215 H200 box



K-201
Black Morocco
Repeat : W215 H200 box



K-206
Black Calf

7

K-202
Cream Calf
Repeat : W215 H200 box



K-257
Beige Calf
Repeat : W675 H665 box



K-216
Marron Calf
Repeat : W225 H335 1/2step



K-214
Bordeaux Calf
Repeat : W380 H605 1/2step

For bigger images and product specifications, please scan here.

ABSTRACT

A-844
Trèfle Blanc
Repeat : W430 H670 1/2step



C-659
Porcelain Cool
Repeat : W410 H500 1/2step

A-830
D'Azur
Repeat : W430 H670 1/2step

A-846
Bruma Rosso
Repeat : W430 H670 1/2step

A-832
Marubera
Repeat : W430 H670 1/2step



C-605
Silvy Shell
Repeat : W435 H335 1/2step



A-824
Arashi Cloth
Repeat : W340 H670 1/2step



A-723
Marina
Repeat : W440 H670 box

FABRIC

F-718
Snow Satin



F-470
Luna Satin
Repeat : W480 H650 box



F-469
Venus Satin
Repeat : W480 H650 box



F-717
Dark Satin

DA-61
Snow Lattice
Repeat : W345 H390 box

DA-57
Luna Linea
Repeat : W345 H390 box



F-477
Bengal Satin
Repeat : W480 H330 box



F-478
Azurite Satin
Repeat : W480 H330 box

F-719
White Linen
Repeat : W500 H330 box

F-473
Oyster Linen
Repeat : W500 H330 box



F-475
Twilight Linen
Repeat : W500 H330 box



F-723
Black Linen
Repeat : W500 H330 box



DA-81
Graysh Lattice
Repeat : W345 H390 box



DA-80
Greige Lattice
Repeat : W345 H390 box



DA-58
Baron Lattice
Repeat : W345 H390 box



DA-93 NEW
Gold Lattice
Repeat : W345 H390 box



F-716
Kasuri Charcoal
Repeat : H830



F-715
Kasuri Brun
Repeat : H830



F-714
Kasuri Noir
Repeat : H830

1 2 3 4 5 6 7

Annotation

Water Resistance

Twinkling effect under lights

Available in other series

Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A B C D

BASIC COLOR Powder Matte (Silky Suede) NEW

1



MT-15
Powder Jade Green
NEW
5.3GY 6.7/1.0

2



MT-19
Powder Cork
NEW
9.7YR 6.1/2.3

3



MT-16
Powder Sky
NEW
1.0B 6.8/1.7

4



MT-17
Powder Pistachio
NEW
6.0Y 7.1/4.7

5



MT-18
Powder Mustard
NEW
0.3Y 6.4/5.4

6



MT-14
Powder Brick
NEW
2.8YR 5.9/5.1

BASIC COLOR Accent

7

BC-4B
Silky Green
5.5G 8.3/1.0

BC-5B
Mist Blue
9.5Y 8.2/0.6

BC-7B
Coral Pink
0.5Y 8.4/2.0

8

PR-276
Elm Green
2.4G 2.9/5.6

PR-265
Prussian Blue
2.3PB 2.5/5.4

PR-156
Wine Red
5.1R 2.6/7.8

PR-160
Cinnamon
0.1R 4.6/6.3

9

PR-287
Tirol Green
4.2GY 4.9/5.0

PR-273
Mare Blue
5.8PB 3.4/10.1

PR-282
Bacchus Red
0.5R 2.8/10.2

PR-142
Flax
0.2Y 6.3/3.6

For bigger images and product specifications, please scan here.

10

PR-263
Sunflower
1.7Y 7.5/10.6

PR-291
Cerulean
0.5PB 4.8/11.0

PR-261
Carmine
4.8R 3.1/10.7

PR-262
Persimmon
9.6R 5.3/12.3

BASIC COLOR Powder Matte (Silky Suede)



MT-10
Silky White
7.5Y 9.5/0.2



MT-11
Silky Vanilla
10Y 9.0/0.7



MT-12
Silky Snow
10B 8.8/0.1

BASIC COLOR Basic

NC-2150 Precious White 9.5GY 9.3/0.1	**BC-040** Warm White 7.3Y 9.4/0.3	**NC-050** Cool White 2.6YR 9.1/0.2	**BC-1A** Snow White 3.0GY 8.9/0.4
BC-9A Fresh Milk 3.0Y 8.8/0.3	**NC-2151** Trust White 6.8Y 8.9/0.5	**NC-051** Shell White 5.7Y 8.5/0.4	**BC-061** Pale White 9.9GY 8.3/0.2
NC-052 Pearl Gray 5.1Y 7.9/0.3	**BC-8B** Light Gray 6.0Y 7.7/0.2	**NC-053** Silver Gray 0.7GY 7.2/0.4	**NC-055** Sensive Gray 7.6Y 6.3/0.3
NC-056 Mid Gray 3.0B 5.6/0.3	**NC-057** Slate Gray 1.9B 4.0/0.3	**NC-058** Charcoal Gray 0.2PB 2.1/0.5	**NC-059** Black N 1.9/
BC-2131 Tender White 3.3Y 9.0/1.1	**BC-042** Shell Gray 2.1Y 8.2/1.3	**BC-132** Milk White 2.2Y 8.3/1.3	**BC-2B** Ivory 3.5Y 8.3/1.6
BC-3B Bone White 5Y 8.1/1.3	**BC-043** Ivory Gray 4Y 7.7/1.3	**BC-045** Clay 4.4Y 6.3/0.8	**BC-124** Ficelle Beige 9.7YR 6.8/1.9
BC-046 Mastic 1.4Y 5.2/1.5	**BC-037** Umber 0.1Y 4.5/2.1	**BC-039** Sepia 6.3YR 2.1/2.1	**BC-129** Burnt Umber 2.3YR 1.4/1.1

Annotation

Water Resistance

Available in other series

Precautions in installation (MT)

Special care must be taken during application and maintenance due to the matte finish. For details, make sure to refer to the technical information booklet at the beginning.

Specifications

Width
1,220mm

Length
50m

The value to the right of the product name is the Munsell value.

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

belbien+TEX

1



TX-039
Carbon Black Delta
9.2PB 0.9/0.2




TX-029
Carbon Black Enzu
9.2PB 0.9/0.2



TX-019
Carbon Black Nubuck
9.2PB 0.9/0.2



TX-045
Carbon Black Slender
9.2PB 0.9/0.2



NC-059
Black
N 1.9/

2



TX-094
Carbon Black Ripple
9.2PB 0.9/0.2



TX-072
Black Maze
N 1.9/



TX-085
Carbon Black Woody
9.2PB 0.9/0.2

3



TX-038
Off-Black Delta
0.6Y 2.45/0.3



TX-028
Off-Black Enzu
0.6Y 2.45/0.3



TX-018
Off-Black Nubuck
0.6Y 2.45/0.3



TX-055
Raisin Gray Cœur
8.2PB 3.1/0.3



NC-058
Charcoal Gray
0.2PB 2.1/0.5

4



TX-044
Off-Black Slender
0.6Y 2.45/0.3



TX-084
Charcoal Gray Woody
0.2PB 2.1/0.5

5



TX-037
Sensive Gray Delta
7.6Y 6.3/0.3



TX-027
Sensive Gray Enzu
7.6Y 6.3/0.3



TX-017
Sensive Gray Nubuck
7.6Y 6.3/0.3



NC-055
Sensive Gray
7.6Y 6.3/0.3

For bigger images and product specifications, please scan here.

A | B | C | D

Check the texture in the video!



TX-036
Silver Gray Delta
0.7GY 7.2/0.4



TX-026
Silver Gray Enzu
0.7GY 7.2/0.4

1

NC-053
Silver Gray
0.7GY 7.2/0.4



TX-032
Misty White Delta
4.0GY 9.2/0.3



TX-022
Misty White Enzu
4.0GY 9.2/0.3



TX-012
Misty White Nubuck
4.0GY 9.2/0.3




TX-062
Misty White Tissu
4.0GY 9.2/0.3

2

BC-040
Warm White
7.3Y 9.4/0.3



TX-081
Misty White Woody
4.0GY 9.2/0.3




TX-052
Misty White Cœur
4.0GY 9.2/0.3

3

NC-2150
Precious White
9.5GY 9.3/0.1



TX-080
Warm White Woody
7.3Y 9.4/0.3




TX-051
Warm White Cœur
7.3Y 9.4/0.3



TX-030
Precious White Delta
9.5GY 9.3/0.1



TX-020
Precious White Enzu
9.5GY 9.3/0.1



TX-010
Precious White Nubuck
9.5GY 9.3/0.1



TX-060
Precious White Tissu
9.5GY 9.3/0.1

4

Patterns will not be matched in the joint part due to large design included.

5

The numerical value below the part number is the Munsell value.

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

Annotation

Water Resistance

Available in other series

Precautions in installation (TX-DELTA)

Specifications

Width
1,220mm

Length
50m

For bigger images and product specifications, please scan here.

A B C D



Wall & Pillar : EM-4550　Ceiling : EW-1209　Floor : TAKISTLON PRE-92

High Functional Decorative Film
For Interior and Exterior Installations

belbien EX

since 1986


[Strength of belbien EX]

In addition to basic Belbien functions,
even higher functionality
Over 36 years of sales experience

- Salt Damage Resistant
- Scratch Resistant
- Stain Resistant
- Chemical Resistant

Color Fastness Resistant for 10 years.

As a pioneer of outdoor-use film, our numerous installation cases prove it.



For bigger images and product specifications, please scan here.

Phosphate Acid　NEW

A new pattern inspired by hot-dip galvanized steel sheets with zinc phosphate coating.



EM-4550



EM-4551

belbien EX

High Functional Decorative Film
For Interior and Exterior Installations

1



EM-4216
Hairline Stainless




EM-4226
Bronze Hairline



EM-4220
Navy Hairline


2



EM-4221
Silver Metallic



EM-4222
Tapestry Metallic



EM-4217
Bronze Chiaro



EM-4223
Deep Metallic

3



EM-4224
Yellow Metallic



EM-4225
Bronze Metallic



EM-4219
Noir Vibration




EM-4218
Antique Vibration

4



EM-4227
Bronze Sand



EM-4215
Rusty Brown




EM-4228
Noir Sand

5



EM-4550 NEW
Phosphoric Acid Medium




EM-4551 NEW
Phosphoric Acid Dark




EC-001
White Cœur
5.5GY 9.2/0.3


6



EC-010
Shell White
6.2Y 8.5/0.5



EC-020
Cream Cœur
5.0Y 9.1/1.0



EC-050
Cool Grey
0.8GY 4.9/0.1




EC-110
Deep Red Cœur
7R 2.5/8.1


7




EC-200
Deep Green
0.6G 1.9/2.8



EC-300
Deep Blue
9.9B 1.5/3.7



EC-070
Brown Cœur
9YR 2.5/1.3



EC-090
Black Cœur
N1.9

belbien EX Feature

Color Fastness Resistant for 10 years.

Stain Resistance

Chemical Resistance

Scratch Resistance

Salt damage Resistance

Water Resistance

Annotation

Available in other series

Common precautions

Special care must be taken when stacking.

Specifications

Width
1,220mm

Length
50m

The value to the right of the product name is the Munsell value.

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

A | B | C | D

belbienEX

High Functional Decorative Film
For Interior and Exterior Installations

1



EW-1300
Line Walnut Plus
Repeat : W600 H970 1/2step



EW-1707
Beat Oak
Repeat : W395 H980 1/2step S



EW-1708
Rhythm Oak
Repeat : W395 H980 1/2step S


2



EW-1215
Snow Larch
Repeat : W530 H955 1/2step S




EW-1216
Greige Larch
Repeat : W530 H955 1/2step S



EW-1210
Dull Chic Elm
Repeat : W485 H950 1/2step S


3



EW-1209
Pale Walnut
Repeat : W590 H950 1/2step SC




EW-1301
Naked Italian Walnut
Repeat : W210 H760 1/2step S




EW-1213
Italian Walnut
Repeat : W400 H395 1/2step S

4



EW-1303
Medium Walnut
Repeat : W210 H760 1/2step S




EW-1302
Naked American Walnut
Repeat : W210 H760 1/2step S


5




EW-1202
Fair Wood
Repeat : W350 H970 1/2step S



EW-1207
Viera Oak
Repeat : W585 H950 1/2step SC




EW-1307 NEW
S.F Cherry
Repeat : W570 H950 1/2step SC



EW-1305
Bagan Teak
Repeat : W245 H780 1/2step S


6



EW-1208
Sen
Repeat : W275 H925 1/2step S



EW-1212
Sedona Cherry
Repeat : W575 H925 1/2step SC




EW-1201
Regal Oak
Repeat : W405 H960 1/2step C



EW-1306
Karon Teak
Repeat : W245 H780 1/2step S

For bigger images and product specifications, please scan here.

7



EW-1304
Évreux Walnut
Repeat : W210 H760 1/2step S



EW-1214
Évreux Walnut
Repeat : W400 H395 1/2step S



EW-1211
Bitter Elm
Repeat : W485 H950 1/2step S



EW-1805
Black Dao
Repeat : W520 H1310 1/2step S



EA-6100
Haily White Plus
Repeat : W460 H335 box



ES-5229
Bianco Palazzo
Repeat : W485 H795 1/2step



EA-6110
Douce Branc
Repeat : W440 H665 1/2step

1



ES-5600
Perlino Skill
Repeat : H650



ES-5712
Silky Frost
Repeat : W250 H405 1/2step



ES-5200
Irish Clay
Repeat : W170 H220 1/2step



ES-5202
Mist Clay
Repeat : W170 H220 1/2step

2



ES-5523
Alt Marble Gray
Repeat : H1305



ES-5522
Alt Marble Beige
Repeat : H1305



ES-5525
Malta Greige
Repeat : H1310



ES-5524
Malta Dark Beige
Repeat : H1310

3



ES-5221
Arenite Vellum
Repeat : H670



ES-5222
Granite Vellum
Repeat : H670



ES-5223
Marlite Vellum
Repeat : H670



ES-5224
Chromite Vellum
Repeat : H670

4



ES-5225
Cinnabar Vellum
Repeat : W440 H675 1/2step



ES-5226
Covelline Vellum
Repeat : W440 H675 1/2step



ES-5103
Silver Stony
Repeat : W295 H645 1/2step

5



EF-1004
White Lattice
Repeat : W345 H390 box



EF-1003
Lucifer Satin
Repeat : W480 H670 box



EF-1001
Earthy Linen
Repeat : W490 H330 box



EF-1002
Twilight Linen
Repeat : W490 H330 box

6

belbien EX Feature

- Color Fastness Resistant for 10 years.
- Stain Resistance
- Chemical Resistance
- Scratch Resistance
- Salt damage Resistance
- Water Resistance

Annotation

- Available in other series
- Precautions in installation

Patterns will not be matched in the joint part due to large design included.

Common precautions

Special care must be taken when stacking.

Specifications

Width
1,220mm

Length
50m

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

White Board Sheet

Combining aesthetics and functionality. Writing, projection, and expression in the conference room.







Image projected on Belbien BWH-101



Specifications

Width	1,250mm
Length	30m
Thickness	0.2mm

For ensuring the product performance, the substrate should be a metal.
The sheet can be classified as a fire-rated material
only when it is installed to metal substrate.
Ceiling-mounted or short-focus projectors are recommended.

Annotation

Whiteboard (Erasable)

Available in other series

Specifications

Width
1,250mm

Length
30m

The value to the right of the product name is the Munsell value.

Please check the technical data at the beginning of the booklet for selection, installation, and maintenance.

For bigger images and product specifications, please scan here.

1

BWH-101
White Purple Wood
Repeat : W505 H900 1/2step
SC

2

BWH-001
Warm White
7.3Y 9.4/0.3

BWH-004
Shell White
10B 8.8/0.1

\Try using a white board marker!/



BWH-102
Naked American Walnut
Repeat : W215 H745 1/2step
S

INDEX

Code	P-C-R	Same design	Icon
A			
A-723	28-D-2		
A-731	22-C-7		
A-824	28-C-2		
A-830	28-C-1		
A-832	28-A-2		
A-833	27-B-3		
A-844	28-A-1		
A-846	28-D-1		
A-847	26-B-3		
A-848	26-C-3		
A-851	27-C-3		
BC			
BC-037	30-B-10		
BC-039	30-C-10		
BC-040	30-B-4	BWH-001	
BC-042	30-B-8		
BC-043	30-B-9		
BC-045	30-C-9		
BC-046	30-A-10		
BC-061	30-E-5		
BC-124	30-E-9		
BC-129	30-E-10		
BC-132	30-C-8		
BC-1A	30-E-4		
BC-2131	30-A-8		
BC-2B	30-E-8		
BC-3B	30-A-9		
BC-4B	29-A-7		
BC-5B	29-B-7		
BC-7B	29-C-7		
BC-8B	30-B-6		
BC-9A	30-A-5		
BR			
BR-242	24-B-2		
BR-291	24-B-1		
BR-292	24-A-2		
BR-296	24-A-3		
BR-297	23-D-4	EM-4226 NEW	
BR-381	23-B-6		
BR-382	23-C-6		
BR-391	23-B-1		
BR-392	23-C-1		
BR-393	23-D-1		
BR-398	23-C-7		
BR-511	24-A-7		
BR-514	24-B-7		
BR-540	22-B-7	EM-4227	
BR-541	23-D-3		
BR-542	21-D-3		
BR-543	24-C-7		
BR-544	24-D-7		
BR-545	24-C-8		
BR-551	21-A-4		
BR-552	21-A-5		
BR-553	21-B-4		
BR-554	21-B-5		
BR-600	24-D-2		
BR-601	24-C-2		
BR-602	24-D-3		
BR-603	24-C-3		
BR-604	23-D-8		
BWH BELBIEN WHITEBOARD			
BWH-001	37-A-2	BC-040	
BWH-002	1-A-5		
BWH-003	1-B-5		
BWH-004	37-B-2	NC-051	
		EC-010	
BWH-101	37-A-1	SW-134	
BWH-102	37-C-1	EW-1302	
		W-618	
		WR-1050	
C			
C-605	28-B-2		
C-659	28-B-1		
CM			
CM-52	20-D-1		
CM-53	22-D-5		
CM-55	22-D-6		
CM-57	22-C-5		
CM-58	22-C-6		
CM-60	23-C-4		
CM-61	23-A-5		
CM-62	23-B-5		
CM-63	23-C-5		
CM-64	23-C-2		
CM-65	1-A-2		
CM-66	22-D-1		
CM-82	20-A-1		
CM-83	20-B-1		
CM-120	1-A-4		
CM-121	22-D-4		
CM-122	22-C-1		
CM-123	21-A-1		
CM-124	22-A-7		
CM-125	22-D-3		
CM-126	21-A-2		
CM-127	21-C-3		
CM-128	21-C-2		
CM-129	23-B-3		
CM-130	21-B-3		
CM-131	22-C-2		
CM-132	1-A-3		
CM-133	21-B-1		
CM-134	23-C-3		
CM-135	21-C-1		
CM-136	1-B-3		
CM-137	1-C-3		
CM-140	21-D-1		
CM-141	20-C-1		
CM-142	22-D-2		
CM-143	22-B-4		
CM-144	22-C-3		
CM-145	24-A-8		
CM-146	22-A-3		
CM-147	22-B-3		
CM-148	19-A-2	NEW	
CM-149	19-A-3	NEW	
CM-150	19-C-2	NEW	
CM-151	19-A-4	NEW	
CM-152	19-A-1	NEW	
CM-153	19-B-1	NEW	
CO			
CO-180	24-B-5		
CO-181	24-C-5		
CO-195	24-A-5		
CO-196	24-C-6		
CO-197	24-B-6		
CY			
CY-100	23-A-7		
CY-104	24-A-4		
CY-109	24-B-4		
CY-110	24-A-1		
CY-111	24-C-4		
DA			
DA-35	26-A-7	EA-6100	
DA-36	1-D-2		
DA-38	26-C-7		
DA-39	26-A-1		
DA-40	26-D-7		
DA-41	26-D-8		
DA-47	26-A-5		
DA-48	26-B-5		
DA-49	26-A-8		
DA-50	26-B-1		
DA-52	22-C-8	EM-4215	
DA-53	22-D-7		
DA-54	22-B-8		
DA-57	28-B-4		
DA-58	28-C-6		
DA-61	28-A-4		
DA-62	26-C-8		
DA-63	25-A-6		
DA-64	25-B-7		
DA-65	26-D-1		
DA-66	20-B-6		
DA-67	1-B-4		
DA-68	20-B-5		
DA-69	20-B-7		
DA-70	20-D-4		
DA-71	25-D-7		
DA-72	25-D-6		
DA-73	26-C-5		
DA-74	26-B-6		
DA-75	22-A-8		
DA-76	26-B-7		
DA-77	20-C-4		
DA-78	26-C-1		
DA-79	26-B-2		
DA-80	28-B-6		
DA-81	28-A-6		
DA-82	1-C-2		
DA-83	25-A-1		
DA-84	25-B-1		
DA-86	25-B-6		
DA-88	25-C-6		
DA-89	25-C-7		
DA-90	25-C-1		
DA-91	25-D-1		
DA-92	26-D-3		
DA-93	28-D-6	NEW	
EX For interior& exterior			
EA-6100	36-A-1	DA-35	
EA-6110	36-C-1		
EC-001	34-D-5		
EC-010	34-A-6	BWH-004	
		NC-051	
EC-020	34-B-6		
EC-050	34-C-6		
EC-070	34-C-7		
EC-090	34-D-7		
EC-110	34-D-6		
EC-200	34-A-7		
EC-300	34-B-7		
EF-1001	36-C-6		
EF-1002	36-D-6	F-475	
EF-1003	36-B-6		
EF-1004	36-A-6		
EM-4215	34-B-4	DA-52	
EM-4216	34-A-1		
EM-4217	34-C-2		
EM-4218	34-D-3		
EM-4219	34-C-3		
EM-4220	34-C-1		
EM-4221	34-A-2		
EM-4222	34-B-2		
EM-4223	34-D-2		
EM-4224	34-A-3		
EM-4225	34-B-3		
EM-4226	34-B-1	BR-297	
EM-4227	34-A-4	BR-540	
EM-4228	34-C-4		
EM-4550	34-A-5	NEW	
EM-4551	34-B-5	NEW	
ES-5103	36-C-5		
ES-5200	36-C-2		
ES-5202	36-D-2		
ES-5221	36-A-4		
ES-5222	36-B-4		
ES-5223	36-C-4		
ES-5224	36-D-4		
ES-5225	36-A-5		
ES-5226	36-B-5		
ES-5229	36-B-1		
ES-5522	36-B-3		
ES-5523	36-A-3		
ES-5524	36-D-3		
ES-5525	36-C-3		
ES-5600	36-A-2		
ES-5712	36-B-2		
EW-1201	35-C-6		
EW-1202	35-A-5		
EW-1207	35-B-5	SW-54	
		WR-2150	
EW-1208	35-A-6	SW-141	
EW-1209	35-A-3	W-634	
		WR-1120	
EW-1210	35-C-2	SW-130	
EW-1211	35-C-7	SW-137	
EW-1212	35-B-6		
EW-1213	35-C-3	W-622	
EW-1214	35-B-7	W-625	
EW-1215	35-A-2	W-621	
EW-1216	35-B-2		
EW-1300	35-A-1	W-216	
EW-1301	35-B-3	W-617	
EW-1302	35-B-4	BWH-102	
		W-618	
		WR-1050	
EW-1303	35-A-4	W-648	
EW-1304	35-A-7	W-620	
		WR-1070	
EW-1305	35-D-5		
EW-1306	35-D-6	SW-163	
EW-1307	35-C-5	NEW	
EW-1707	35-B-1		
EW-1708	35-C-1		
EW-1805	35-D-7		
F			
F-408	23-D-6		
F-409	23-A-6		
F-468	1-C-4		
F-469	28-C-3		
F-470	28-B-3		
F-472	1-D-4		
F-473	28-B-5		
F-475	28-C-5	EF-1002	
F-476	26-D-5		
F-477	28-C-4		

About Icons

NEW New Patterns

Color Fastness Resistant for 10 years.

Water Resistance

INDEX

Code	P-C-R	Same design	Icon
F-478	28-D-4		
F-714	28-C-7		
F-715	28-B-7		
F-716	28-A-7		
F-717	28-D-3		
F-718	28-A-3		
F-719	28-A-5		
F-723	28-D-5		
F-746	20-C-2		
F-2745	20-A-2		
FM			
FM-11	20-A-4		
FM-23	20-B-4		
FM-31	23-B-2		
FM-32	23-D-2		
FM-33	23-A-3		
FM-34	23-A-4		
FM-38	23-B-7		
FM-39	24-C-1		
FM-40	23-A-8		
FM-41	24-D-1		
FM-42	23-B-8		
FM-44	20-B-2		
FM-45	20-A-3		
FM-46	1-D-3		
FM-47	23-D-7		
FM-48	22-A-5		
FM-49	22-B-5		
FM-50	22-A-1		
GC			
GC-010	2-A-9		
GC-011	2-A-10		
GC-012	2-B-9		
GC-013	2-B-10		
GC-014	2-C-9		
GC-015	2-C-10		
GC-016	2-D-9		
GC-017	2-D-10		
GC-018	2-E-9		
GC-019	2-E-10		
K			
K-200	27-A-6		
K-201	27-C-6		
K-202	27-A-7		
K-203	27-B-6		
K-206	27-D-6		
K-214	27-D-7		
K-216	27-C-7		
K-221	27-C-4	NEW	
K-222	27-B-5	NEW	
K-257	27-B-7		
K-274	27-A-5		
K-275	27-B-4		
K-276	27-A-4		
K-277	1-B-2		
MA			
MA-700	23-A-1		
MT			
MT-10	30-D-1		
MT-11	30-D-2		
MT-12	30-D-3		
MT-14	29-D-6	NEW	
MT-15	29-D-1	NEW	
MT-16	29-D-3	NEW	
MT-17	29-D-4	NEW	
MT-18	29-D-5	NEW	
MT-19	29-D-2	NEW	
NC			
NC-050	30-C-4		
NC-051	30-C-5	EC-010	
		BWH-004	
NC-052	30-A-6		
NC-053	30-C-6		
NC-055	30-E-6		
NC-056	30-A-7		
NC-057	30-B-7		
NC-058	30-C-7		
NC-059	30-E-7		
NC-2150	30-A-4		
NC-2151	30-B-5		
PR			
PR-142	29-E-9		
PR-156	29-C-8		
PR-160	29-E-8		
PR-261	29-C-10		
PR-262	29-E-10		
PR-263	29-A-10		
PR-265	29-B-8		
PR-273	29-B-9		
PR-276	29-A-8		
PR-282	29-C-9		
PR-287	29-A-9		
PR-291	29-B-10		
S			
S-500	27-B-1		
S-519	27-A-1		
S-526	27-C-1		
S-550	25-A-4		
S-560	27-B-2		
S-571	27-A-3		
S-573	25-B-4		
S-574	25-B-5		
S-575	25-C-2		
S-576	25-D-2		
S-600	25-A-2		
S-601	25-B-2		
S-602	26-A-3		
S-603	26-A-4		
S-650	25-C-4		
S-651	25-D-4		
S-652	25-C-3		
S-653	25-D-3		
S-654	26-C-4		
S-655	26-D-4		
S-656	27-C-2		
S-657	27-D-1		
S-658	27-D-2		
S-659	27-D-3		
S-752	27-A-2		
SW			
SW-16	15-D-2		
SW-18	14-C-2		
SW-19	17-A-2	W-619	
SW-24	17-C-2		
SW-26	16-D-3		
SW-27	14-D-2		
SW-28	14-C-1		
SW-43	14-D-1		
SW-45	14-A-3		
SW-46	15-A-2		
SW-47	16-A-2		
SW-49	16-C-3		
SW-54	13-C-3	EW-1207	
		WR-2150	
SW-55	13-D-3		
SW-56	14-C-3		
SW-57	15-B-2		
SW-59	16-C-1		
SW-60	14-A-1		
SW-61	14-B-1		
SW-62	16-A-3		
SW-63	16-D-2		
SW-64	12-A-1		
SW-65	1-C-1		
SW-70	13-B-1		
SW-72	13-A-3		
SW-73	18-A-1		
SW-76	11-A-1		
SW-77	18-B-1		
SW-79	16-D-1		
SW-80	14-B-2		
SW-81	16-B-1		
SW-82	11-B-1		
SW-84	17-B-3		
SW-89	18-C-2		
SW-91	15-B-3		
SW-93	1-B-1		
SW-98	14-B-3		
SW-99	17-B-2		
SW-100	16-A-1		
SW-101	15-C-2		
SW-102	17-C-1		
SW-104	16-B-3		
SW-110	18-C-3		
SW-112	18-C-1		
SW-116	17-D-2		
SW-121	10-C-1		
SW-122	18-D-3		
SW-124	13-C-2		
SW-125	11-A-2		
SW-126	11-B-2		
SW-127	10-C-2		
SW-128	13-B-3		
SW-129	10-C-3		
SW-130	12-C-1	EW-1210	
SW-131	10-B-3		
SW-133	10-B-2		
SW-134	10-A-1	BWH-101	
SW-135	10-B-1		
SW-136	18-D-2		
SW-137	17-C-3	EW-1211	
SW-138	18-B-2		
SW-140	13-D-2		
SW-141	13-B-2	EW-1208	
SW-143	17-D-3		
SW-145	10-D-1		
SW-146	18-B-3		
SW-147	12-A-2		
SW-148	12-B-2		
SW-150	13-A-2	W-629	
SW-151	11-C-1		
SW-152	13-A-1		
SW-153	10-A-3		
SW-154	10-D-3		
SW-155	11-D-2		
SW-156	17-A-3		
SW-157	10-A-2		
SW-158	11-C-2		
SW-159	11-D-1		
SW-160	12-B-1		
SW-161	13-C-1		
SW-162	18-A-3		
SW-163	15-B-1	EW-1306	
SW-164	15-C-1		
SW-165	16-B-2		
SW-166	16-C-2		
SW-167	15-A-3		
SW-168	14-A-2		
SW-169	15-D-1		
SW-170	15-A-1		
SW-171	12-C-2		
SW-172	12-D-2		
SW-173	17-A-1		
SW-174	17-B-1		
SW-175	17-D-1		
SW-176	18-A-2		
SW-177	13-D-1		
SW-178	12-D-1		
SW-179	15-C-3		
TX			
TX-010	32-C-5		
TX-011	2-C-3		
TX-012	32-C-2		
TX-013	2-C-4		
TX-014	2-D-3		
TX-015	2-D-4		
TX-016	2-E-3		
TX-017	31-D-5		
TX-018	31-C-3		
TX-019	31-C-1		
TX-020	32-B-5		
TX-021	2-A-3		
TX-022	32-B-2		
TX-023	2-A-4		
TX-024	2-B-3		
TX-025	2-B-4		
TX-026	32-C-1		
TX-027	31-B-5		
TX-028	31-B-3		
TX-029	31-B-1		
TX-030	32-A-5		
TX-031	2-A-7		
TX-032	32-A-2		
TX-033	2-A-8		
TX-034	2-B-7		
TX-035	2-B-8		
TX-036	32-A-1		
TX-037	31-A-5		
TX-038	31-A-3		
TX-039	31-A-1		
TX-040	2-C-7		
TX-041	2-C-8		
TX-042	2-D-7		
TX-043	2-D-8		
TX-044	31-B-4		
TX-045	31-D-1		
TX-050	2-A-5		
TX-051	32-C-4		
TX-052	32-C-3		
TX-053	2-A-6		
TX-054	2-B-6		
TX-055	31-D-3		
TX-060	32-D-5		
TX-061	2-C-5		
TX-062	32-D-2		
TX-063	2-C-6		
TX-064	2-D-5		
TX-065	2-D-6		
TX-070	2-E-7		
TX-071	2-E-8		

Code	P-C-R	Same design	Icon
TX-072	31-B-2		
TX-080	32-A-4		
TX-081	32-A-3		
TX-082	2-E-5		
TX-083	2-E-6		
TX-084	31-C-4		
TX-085	31-C-2		
TX-090	2-C-1		
TX-091	2-C-2		
TX-092	2-D-1		
TX-093	2-D-2		
TX-094	31-A-2		
TX-100	2-A-1		
TX-101	2-A-2		
TX-102	2-B-1		
TX-103	2-B-2		
W			
W-200	11-A-4		
W-202	18-C-5		
W-203	14-C-5		
W-205	16-C-4		
W-210	16-D-4		
W-213	13-C-4		
W-216	11-A-3	EW-1300	
W-217	18-D-4		
W-223	18-D-5		
W-224	18-B-6		
W-244	15-A-5		
W-245	17-B-5		
W-251	14-B-4		
W-255	14-C-6		
W-282	16-A-5		
W-303	18-D-6		
W-305	10-C-4		
W-307	12-A-4		
W-316	14-C-4		
W-320	14-D-4		
W-346	14-B-6		
W-358	17-D-4		
W-360	14-A-6		
W-364	16-B-6		
W-372	14-A-4		
W-376	16-D-5		
W-378	16-C-5		
W-385	13-D-6		
W-391	18-C-4		
W-393	17-C-6		
W-394	17-D-6		
W-617	12-A-3	EW-1301	
W-618	12-C-3	BWH-102	
		EW-1302	
		WR-1050	
W-619	17-C-4	SW-19	
W-620	17-A-4	EW-1304	
		WR-1070	
W-621	10-B-4	EW-1215	
W-622	12-B-3	EW-1213	
W-623	12-D-3		
W-624	15-D-4		
W-625	17-B-4	EW-1214	
W-626	10-B-6		
W-627	10-A-7		
W-628	10-B-5		
W-629	13-B-5	SW-150	
W-630	11-C-7		
W-631	15-B-4		
W-632	17-C-5		
W-633	12-D-6		
W-634	11-B-6	EW-1209	

Code	P-C-R	Same design	Icon
		WR-1120	
W-635	11-B-7	WR-1140	
W-636	14-B-5		
W-637	11-C-5		
W-638	13-D-4		
W-639	11-B-4		
W-640	12-C-5		
W-641	12-A-6		
W-642	20-C-3		
W-643	11-C-6		
W-644	12-D-5		
W-646	1-A-1		
W-647	10-C-7		
W-648	15-C-4	EW-1303	
W-650	11-C-3		
W-651	11-A-6		
W-652	11-D-5		
W-653	10-C-5		
W-654	15-A-4		
W-655	15-C-5		
W-656	12-B-6		
W-657	13-B-6		
W-658	12-B-5		
W-659	10-B-7		
W-660	12-B-4		
W-661	12-D-4		
W-662	15-D-6		
W-663	10-A-6		
W-664	11-C-4		
W-665	13-A-5		
W-666	10-D-6		
W-667	16-B-4		
W-668	15-D-5		
W-669	10-A-4		
W-670	15-A-6		
W-671	18-B-4		
W-681	13-C-5		
W-682	17-A-6		
W-683	15-C-6		
W-684	18-A-4		
W-685	13-A-4		
W-686	12-C-6		
W-714	13-B-4		
W-715	13-C-6		
W-716	10-C-6		
W-717	11-A-7		
W-719	11-D-3		
W-720	13-A-6		
W-721	13-A-7		
W-722	16-A-4		
W-723	11-A-5		
W-724	18-A-6		
W-726	18-C-6		
W-731	11-D-6		
W-732	11-B-5		
W-733	16-C-6	NEW	
W-764	14-D-6		
W-765	16-B-5		
W-786	14-A-5		
W-800	17-B-6		
W-802	12-C-4		
W-805	18-B-5		
W-806	18-A-5		
W-807	10-D-5		
W-808	12-A-5		
W-809	10-D-7		
W-810	17-D-5		
WA			
WA-227	16-A-6		

Code	P-C-R	Same design	Icon
WA-256	11-B-3		
WA-257	13-D-5		
WA-381	15-B-6		
WA-382	17-A-5		
WA-386	14-D-5		
WB			
WB-400	11-D-4		
WB-401	10-D-4		
WB-403	10-A-5		
WB-404	15-B-5		
WR			
WR-1000	6-A-1		
WR-1010	6-A-2		
WR-1020	6-A-3		
WR-1040	6-A-4		
WR-1045	6-A-5		
WR-1050	6-A-6	BWH-102	
		EW-1302	
		W-618	
WR-1055	6-A-7		
WR-1060	6-A-8		
WR-1070	6-A-9	EW-1304	
		W-620	
WR-1080	6-A-10		
WR-1085	6-A-11		
WR-1090	6-A-12		
WR-1100	6-B-1		
WR-1110	6-B-2		
WR-1120	6-B-3	EW-1209	
		W-634	
WR-1140	6-B-4	W-635	
WR-1145	6-B-5		
WR-1150	6-B-6		
WR-1155	6-B-7		
WR-1160	6-B-8		
WR-1170	6-B-9		
WR-1180	6-B-10		
WR-1185	6-B-11		
WR-1190	6-B-12		
WR-2000	7-A-1		
WR-2010	7-A-2		
WR-2020	7-A-3		
WR-2030	7-A-4		
WR-2040	7-A-5		
WR-2050	7-A-6		
WR-2060	7-A-7		
WR-2070	7-A-8		
WR-2075	7-A-9		
WR-2080	7-A-10		
WR-2090	7-A-11		
WR-2095	7-A-12		
WR-2100	7-B-1		
WR-2110	7-B-2		
WR-2120	7-B-3		
WR-2130	7-B-4		
WR-2140	7-B-5		
WR-2150	7-B-6	EW-1207	
		SW-54	
WR-2160	7-B-7		
WR-2170	7-B-8		
WR-2175	7-B-9		
WR-2180	7-B-10		
WR-2190	7-B-11		
WR-2195	7-B-12		
WR-3000	5-A-1		
WR-3005	5-A-2		
WR-3010	5-A-3		
WR-3020	5-A-4		

Code	P-C-R	Same design	Icon
WR-3030	5-A-5		
WR-3040	5-A-6		
WR-3050	5-A-7		
WR-3060	5-A-8		
WR-3070	5-A-9		
WR-3080	5-A-10		
WR-3085	5-A-11		
WR-3090	5-A-12		
WR-4000	8-A-1		
WR-4020	8-A-2		
WR-4040	8-A-3		
WR-4060	8-A-4		
WR-4070	8-A-5		
WR-4090	8-A-6		
WR-4100	8-B-1		
WR-4120	8-B-2		
WR-4140	8-B-3		
WR-4160	8-B-4		
WR-4170	8-B-5		
WR-4190	8-B-6		
WR-5000	8-B-7		
WR-5020	8-B-8		
WR-5040	8-B-9		
WR-5050	8-B-10		
WR-5070	8-B-11		
WR-5080	8-B-12		
WR-6110	8-A-7		
WR-6120	8-A-8		
WR-6130	8-A-9		
WR-6150	8-A-10		
WR-6160	8-A-11		
WR-6180	8-A-12		

About Icons

NEW New Patterns

Color Fastness Resistant for 10 years.

Water Resistance

For futher information

ⓘ The information of material design are on the booklet, attached to the front page.

ⓘ For technical data, please visit the belbien website.

Please refer to the following 2D barcode, URL, or search.
(The technical data booklet is stored in the front pocket.)

Go to the technical data web page

https://www.belbien.net/english/catalog/browse/technical_book_en

Manufacturer

C.I. TAKIRON Corporation

Head Office North Gate Building, 3-1-3,Umeda, Kita-Ku,Osaka, 530-0001, Japan

Shiga Plant 3-3-1 Maruyama, Konan, Shiga, 520-3185, Japan

ISO 9001 CERTIFIED
C.I.TAKIRON Corporation
Shiga Plant

ISO14001 01ER·106
ISO 14001 CERTIFIED
C.I.TAKIRON Corporation
Shiga Plant

www.belbien.com

World Network

U.S.A.
Interior Design Solutions , Inc.
4208 Fitch Ave. Baltimore, MD 21236
TEL : +1-866-953-4662 FAX: +1-866-963-4662
E-mail : info@belbienusa.com
www.belbienusa.com

Europe
Bonlex Europe S.r.l.
Via Friuli 35, 31045 Motta di Livenza (Treviso) Italy
TEL : +39-0422-2806 FAX: +39-0422-280880
E-mail: sales@bonlexeurope.com

China
上海世爱化成贸易有限公司
邮编: 200020 上海市茂名南路205号
瑞金大厦2503B
TEL : +86-21-64671010 FAX: +86-21-64726383
E-mail: belbien@cik.com.cn

Personal information provided by customers is handled appropriately in accordance with the related Japanese laws and the company's own policies.
For details on the company's own policies, please refer to"Policy on Protection of Personal Information" in www.belbien.com.